

## SECTION 01300

### SUBMITTALS

#### PART 1 GENERAL

##### 1.1 CONSTRUCTION PLANS

- A. Submit Two (2) sets of Preliminary water and sewer construction plans to the WSD for review and comment.
- B. Submit Six (6) sets each of Final water and sewer construction drawings to the WSD for signatures.
- C. Deliver submittals to the WSD located at:  
  
1750 General George Patton Drive  
Brentwood, Tennessee 37027
- D. Transmit each item under a transmittal form.
- E. Developer/Contractor shall distribute copies of Final Plans to appropriate persons and shall maintain approved set of drawings on site at all times.

##### 1.2 SHOP DRAWINGS

- A. Submit four (4) copies. Provide blank space on each submittal for Contractor, Engineer and WSD stamps. After review and comment by the WSD, revise and resubmit as required. After final approval, Contractor shall distribute to any subcontractors.
- B. Present Shop Drawings in a clear and thorough manner. Title each drawing with Project and Contract name and number.
- C. Identify field dimensions; show relation to adjacent or critical features or Work or products if applicable.
- D. Minimum Sheet Size: 8-1/2 x 11 inches or larger multiples thereof.
- E. Electronic submittal in PDF format is acceptable.

##### 1.3 PRODUCT DATA

- A. Submit only pages which are pertinent. Mark each copy to identify applicable products, models, options, and other data; supplement manufacturers' standard data to provide information unique to the Work.

Include manufacturers' installation instructions when required by the Specification section.

#### 1.4 MANUFACTURER'S INSTRUCTIONS

- A. Where directed by the WSD, submit manufacturer's printed instructions for delivery, storage, assembly, installation, start-up, adjusting, and finishing, in quantities as specified by the WSD.

#### 1.5 SAMPLES

- A. When applicable, submit full range (not less than 3) of manufacturers' standard colors, textures, and patterns for WDS selection.
- B. Submit samples to illustrate functional characteristics of the product, with integral parts and attachment devices. Coordinate submittal of different categories for interfacing work.
- C. Include identification on each sample, giving full information.

#### 1.6 CONTRACTOR REVIEW OF SHOP DRAWINGS, PRODUCT DATA AND SAMPLES

- A. Review submittals prior to transmittal; determine and verify field measurements, field construction criteria, manufacturer's catalog numbers, and conformance of submittal with requirements of this documents technical specifications.
- B. Coordinate submittals with requirements of the Work.
- C. Sign each product sheet of shop drawings and product data, and each sample label to certify compliance with requirements of the technical specifications. Notify WSD in writing at time of submittal, of any deviations from requirements of the technical specifications.
- D. Do not fabricate products or begin work which requires submittals until return of submittal with WSD acceptance.
- E. When phrase, "by others," appears on Shop Drawings, General Contractor shall indicate on drawing who is to furnish material or operations so marked on submittal.

#### 1.7 NONCOMPLYING SUBMITTALS

- A. Submittals not in compliance with this Section will be returned by the WSD for resubmittal with appropriate deficiencies noted.

END OF SECTION 01300 – SUBMITTALS

